



Odourized Propane

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015.

Date of issue: 12/03/2015

Revision date: 11/20/2018

Version: 1.2

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : Odourized Propane
Product code : Not available
Synonyms : Propane HD-5, Propane commercial, Liquefied Petroleum Gas (LPG), C3H8, odorized propane, stenched propane, automotive propane

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Petroleum distillate. Fuel for barbeques, heating, cooking, back-up power generation, crop drying, vehicles - buses, forklifts, taxis, automobiles, ice resurfacing machines, hot air balloons, soldering, industrial feedsotock for petrochemicals, solvent, refrigerant

1.3. Details of the supplier of the safety data sheet

NGL Supply Co., Ltd.
550, 435 – 4th Avenue SW
Calgary, Alberta T2P 3A8 - Canada

1.4. Emergency telephone number

Emergency number : CHEMTREC 1 (800) 424-9300 (U.S)
CANUTEC (613) 996-6666 (Canada)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US and GHS-CA classification

Simple Asphyxiant
Flammable Gas 1
Gases under pressure – Liquefied gas

2.2. Label elements

GHS-US and GHS-CA labelling

Hazard pictograms (GHS-US and GHS-CA) :



Signal word (GHS-US and GHS-CA) : Danger
Hazard statements (GHS-US and GHS-CA) : May displace oxygen and cause rapid suffocation. Extremely flammable gas. Contains gas under pressure; may explode if heated.
Precautionary statements (GHS-US and GHS-CA) : Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Leaking gas fire: Do not extinguish, unless leak can be stopped safely. Eliminate all ignition sources if safe to do so. Protect from sunlight. Store in a well-ventilated place.

2.3. Other hazards

No additional information available.

2.4. Unknown acute toxicity (GHS-US and GHS-CA)

Not applicable.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixtures

Name	Product identifier	% vol
Propane	(CAS-No.) 74-98-6	90 - 100
Propylene	(CAS-No.) 115-07-1	0 - 5
Isobutane	(CAS-No.) 75-28-5	0 - 2.5

Odourized Propane

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Name	Product identifier	% vol
n-Butane	(CAS-No.) 106-97-8	0 - 2.5
Ethane	(CAS-No.) 74-84-0	0 - 5
Ethyl mercaptan	(CAS-No.) 75-08-1	<0.1

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
- First-aid measures after skin contact : If irritation occurs, flush skin with plenty of water. Thaw frosted parts with lukewarm water. Do not rub affected area. Get medical attention if irritation persists.
- First-aid measures after eye contact : In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.
- First-aid measures after ingestion : If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : May cause respiratory tract irritation. Intentional inhalation may cause respiratory irritation and central nervous system effects (headaches, dizziness). May cause asphyxiation.
- Symptoms/injuries after skin contact : Not a normal route of exposure. May cause frostbite burns to the skin and eyes.
- Symptoms/injuries after eye contact : Not a normal route of exposure. May cause frostbite burns to the skin and eyes.
- Symptoms/injuries after ingestion : Not a normal route of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Powder. Water spray. Foam. Carbon dioxide.
- Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Extremely flammable gas. Products of combustion may include, and are not limited to: oxides of carbon.
- Explosion hazard : May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

5.3. Advice for firefighters

- Firefighting instructions : Leaking gas fire: Do not extinguish, unless leak can be stopped safely. Eliminate all ignition sources if safe to do so. Fight fire remotely due to the risk of explosion. Do not direct water at source of leak or at safety devices; icing may occur.
- Protection during firefighting : Containers may explode when heated. Use water spray to keep fire-exposed containers cool. For large fires, flood fire area with large quantities of water, while knocking down vapours with water fog. Vapours may be heavier than air and may travel along the ground to a distant ignition source and flash back. Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Use special care to avoid static electric charges. Eliminate every possible source of ignition. Ruptured cylinders may rocket. Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.2. Methods and material for containment and cleaning up

- For containment : Eliminate sources of ignition. Stop leak if safe to do so. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.
- Methods for cleaning up : Provide ventilation. Keep upwind. Evacuate area and remove ignition sources.

6.3. Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

Odourized Propane

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.
- Precautions for safe handling : Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharge. Use explosion-proof equipment. Use only non-sparking tools. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Use only in well-ventilated areas. When using do not eat, drink or smoke.
- Hygiene measures : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Proper grounding procedures to avoid static electricity should be followed.
- Storage conditions : Keep out of the reach of children. Store away from direct sunlight or other heat sources. Keep container tightly closed and in a well-ventilated place. Keep cool.
- Storage area : Store in a well-ventilated place.

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Propane (74-98-6)		
ACGIH	Not applicable	
OSHA	OSHA PEL (TWA) (mg/m ³)	1800 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm
IDLH	US IDLH (ppm)	2100 ppm (10% LEL)
NIOSH	NIOSH REL (TWA) (mg/m ³)	1800 mg/m ³
NIOSH	NIOSH REL (TWA) (ppm)	1000 ppm

8.2. Exposure controls

- Appropriate engineering controls : Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
- Hand protection : Wear suitable gloves.
- Eye protection : Safety glasses or goggles are recommended when using product.
- Skin and body protection : Wear suitable protective clothing.
- Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
- Environmental exposure controls : Maintain levels below Community environmental protection thresholds.
- Other information : Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Physical state : Gas
- Appearance : Clear
- Colour : Colourless
- Odour : Characteristic
- Odour threshold : No data available
- pH : Not applicable
- Melting point : No data available
- Freezing point : No data available
- Boiling point : ≈ -42 °C (≈ -44 °F)
- Flash point : < -56 °C (< -69 °F)
- Relative evaporation rate (butylacetate=1) : No data available
- Flammability (solid, gas) : Flammable
- Explosive limits : 2.1 - 9.5 vol %

Odourized Propane

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Explosive properties	: No data available
Oxidising properties	: No data available
Vapour pressure	: 600 - 39000 hPa at 20 °C (68 °F)
Relative density	: 0.506 - 0.583 g/cm ³ at 15 °C (59 °F)
Relative vapour density at 20 °C	: 1.55 (Air = 1)
Solubility	: No data available
Partition coefficient: n-octanol/water	: 2.3
Auto-ignition temperature	: ≈ 450 °C (≈ 842 °F)
Decomposition temperature	: No data available
Viscosity	: Not applicable
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: Not applicable

9.2. Other information

No additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under normal storage conditions. Extremely flammable gas. Contains gas under pressure; may explode if heated.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Sparks. Heat. Incompatible materials.

10.5. Incompatible materials

Strong oxidizers.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified.

Odourized Propane	
LD50 oral rat	No data available
LD50 dermal rabbit	No data available
LC50 inhalation rat	> 20 mg/l/4h

Propane (74-98-6)	
LC50 inhalation rat	658 mg/l/4h

Skin corrosion/irritation	: Based on available data, the classification criteria are not met.
Serious eye damage/irritation	: Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Reproductive toxicity	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (single exposure)	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (repeated exposure)	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: May cause respiratory tract irritation. Intentional inhalation may cause respiratory irritation and central nervous system effects (headaches, dizziness). May cause asphyxiation.
Symptoms/injuries after skin contact	: Not a normal route of exposure. May cause frostbite burns to the skin and eyes.
Symptoms/injuries after eye contact	: Not a normal route of exposure. May cause frostbite burns to the skin and eyes.

Odourized Propane

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Symptoms/injuries after ingestion : Not a normal route of exposure.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

Odourized Propane

Persistence and degradability	Not established.
-------------------------------	------------------

12.3. Bioaccumulative potential

Odourized Propane

Bioaccumulative potential	Not established.
---------------------------	------------------

12.4. Mobility in soil

No additional information available.

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.

Additional information : Handle empty containers with care because residual vapours are flammable.

SECTION 14: Transport information

In accordance with DOT/TDG

UN-No.(DOT/TDG) : UN1075

Proper Shipping Name (DOT/TDG) : PETROLEUM GASES, LIQUEFIED

Class (DOT/TDG) : Class 2.1

Hazard labels (DOT/TDG) :



Additional information

Other information : No supplementary information available.

Special transport precautions : Do not handle until all safety precautions have been read and understood.

SECTION 15: Regulatory information

15.1. Federal Regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

15.2. US State regulations

Odourized Propane

State or local regulations	This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm
----------------------------	---

SECTION 16: Other information

Date of issue : 12/03/2015


Revision date : 11/20/2018

Odourized Propane

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Other information	: None.
NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	: 4 - Materials that rapidly or completely vaporize at atmospheric pressure and normal ambient temperature or that are readily dispersed in air and burn readily.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.



Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.